



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,082	12/23/2003	Shinji Furukawa	246903US6	8109
22850	7590	05/04/2009	EXAMINER	
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C.			WHIPKEY, JASON T	
1940 DUKE STREET				
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2622	
			NOTIFICATION DATE	DELIVERY MODE
			05/04/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No.	Applicant(s)	
	10/743,082	FURUKAWA, SHINJI	
	Examiner	Art Unit	
	Jason T. Whipkey	2622	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 06 April 2009.
 2a) This action is **FINAL**. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-13 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) Claim(s) _____ is/are allowed.
 6) Claim(s) 1-13 is/are rejected.
 7) Claim(s) _____ is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on 23 December 2003 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413)
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date. _____ .
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)	5) <input type="checkbox"/> Notice of Informal Patent Application
Paper No(s)/Mail Date _____.	6) <input type="checkbox"/> Other: _____ .

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on January 12, 2009, has been entered.

Response to Arguments

2. Applicant's arguments with respect to claims 1-13 have been considered but are moot in view of the new grounds of rejection.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-3, 5-9, 11, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Myojo (U.S. Patent Application Publication No. 2003/0122940) in view of Hisatomi (U.S. Patent Application Publication No. 2002/0154898), Hyodo (U.S. Patent Application Publication No. 2003/0098915), and Parulski (U.S. Patent No. 5,440,401).

Regarding **claims 1, 5, and 7**, Myojo discloses an image processing apparatus (digital camera 100) to capture an object and record a captured image (see paragraphs 49-51) comprising:

a creation means (control circuit 105) for creating one composite image from an arrangement of a plurality of associated captured small images (an index image data file 502 is produced when more than one image is stored on memory card 120 and appears as shown in Figure 5C; see paragraphs 62-64), the associated captured small images being sequentially stored in the composite image (see figures 5C-5F);

image file creation means (control circuit 105) for creating an image file (index image data file 502 in Figure 6) including a vertical size and a horizontal size (inherent) of each of the plurality of associated captured small images in the composite image (see Figure 5C and paragraphs 62-64);

a display control means (display/switch control circuit 108) for controlling display of the composite image (on LCD 102; see paragraph 61); and

an extraction means (control circuit 105) for extracting a specified small image from the composite image whose display is controlled by the display control means (activating a replace button 404R in Figure 5D will remove — or

extract — an image currently in the index image data file and replace it with another; see paragraph 62) based on the vertical size and the horizontal size of the associated captured small images (since extracting and replacing images is performed, it is inherent that the system knows the horizontal and vertical sizes of the images in the index image data file; otherwise, this task could not be performed successfully).

Myojo is silent with regard to including data describing a vertical size and a horizontal size of each of the images.

Hisatomi discloses a device that combines a number of images into an index image to be used as a menu (see Figure 23), including:

image file creation means (index image creation section 58 in Figure 15) for creating an image file (an index image; see paragraph 155) including data (a picture address table; see Figure 21 and paragraph 160) describing a vertical size and a horizontal size (X and Y dimensions; see paragraphs 161 and 168) of each of the plurality of associated captured small images in the composite image.

As suggested in paragraph 188, an advantage of including a vertical size, a horizontal size, and other data with an index image is that an image can be selected and rapidly played back by a user. Additionally, including the size of each image would yield the predictable result of allowing the menu system to determine whether a user's click falls within the boundaries of a thumbnail image. For these reasons, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have Myojo's system include the horizontal and vertical size of each image used in the composite image.

Myojo is silent with regard to the image file creation means creating an image file including manufacturer-specific information.

Hyodo discloses an image capturing apparatus (see Figure 2) that adds incidental information 230, including manufacturer-specific information (metadata), to an image file it produces (see Figure 3 and paragraph 45).

Combining the image processing apparatus disclosed by Myojo with the image processing system that includes manufacturer-specific information disclosed by Hyodo would have yielded the predictable result of creating an image file that includes more information. For this reason, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have Myojo's image processing apparatus include manufacturer-specific information in a created image file, as described by Hyodo.

Myojo is silent with regard to the small images placed in an adjacent arrangement.

Parulski discloses an imaging system that produces a composite image (the montage shown in Figure 7; see column 5, line 50, through column 6, line 5) such that small images are directly adjacent (see Figure 7).

Combining the system disclosed by Myojo with the adjacent, composite image-generating system disclosed by Parulski would have yielded the predictable result of maximizing the number of images that can be displayed in a given area (since no space is wasted between images). For this reason, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have Myojo's system place the small images in an adjacent arrangement.

Regarding **claims 2 and 8**, Myojo discloses:

a storage means (memory card 120) for storing the composite image created by the creation means (see paragraph 64).

Regarding **claims 3 and 9**, Myojo discloses:

a determination means for determining whether or not the specified small image is selected from the composite image whose display is controlled by the display control means, wherein, when the determination means determines that the specified small image is selected, the extraction means extracts data corresponding to the specified small image from the composite image stored in the storage means (activating a replace button 404R in Figure 5D will remove — or extract — an image currently in the index image data file selected by an operator and replace it with another; see paragraph 62).

Claim 6 can be treated like claim 1. Additionally, control circuit 105 executed a program stored in memory 105M (see paragraph 50).

Regarding **claim 11**, Hyodo discloses:

the image file creation unit (output unit 170) is configured to create the image file (see Figure 3) with manufacturer specific information including a name of the manufacturer (see paragraph 45).

Regarding **claim 12**, Hyodo discloses:

the image file creation unit (output unit 170) is configured to create the image file (see Figure 3) with manufacturer specific information including a device name of the manufacturer (the model is added to the incidental information; see paragraph 45).

5. Claims 4 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Myojo in view of Hisatomi, Hyodo, Parulski, and Tamura (U.S. Patent Application Publication No. 2002/0048455).

Claims 4 and 10 can be treated like claims 1 and 7, respectively. While Myojo discloses that the index files can be printed (see paragraph 133), he is silent with regard to extracting a specific image for printing.

Tamura discloses an electronic camera, including:

a print instruction means (transmitted-receiver unit 40) for transmitting a small image extracted by the extraction means to an image print apparatus (220) and instructing to start printing (selected thumbnails from an index image are sent to the printer; see paragraph 219).

Using the known technique of selecting desired images for printing from a screen on a digital camera would allow a user to conserve ink and paper, since only small reproductions of preferred images would be printed. For this reason, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have Myojo's system extract images for printing, as described by Tamura.

6. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Myojo in view of Hisatomi, Hyodo, Parulski, and Cohen (U.S. Patent Application Publication No. 2005/0240627).

Claim 13 can be treated like claim 7. While Hyodo discloses that manufacturer-specific information (i.e., metadata) can be added to an image file, he is silent with regard to the information including an indication that the image file includes a plurality of images.

Cohen discloses an imaging system (see Figure 2) that produces a combined image file 500 (see Figure 7) comprised of two or more images (see paragraphs 61-62). Combined image file 500, unlike single-image files 502 and 504, has metadata for each of the images, thus indicating that the file has a plurality of images.

Combining an image processing apparatus that inserts manufacturer-specific information with an imaging system that indicates that a file has a plurality of images would have yielded the predictable result of providing more information about the resulting file's contents. For this reason, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have Hyodo's system include an indication that an image file includes a plurality of images, as described by Cohen.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Whipkey, whose telephone number is (571) 272-7321. The examiner can normally be reached Monday through Friday from 9:30 A.M. to 6 P.M. eastern daylight time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lin Ye, can be reached at (571) 272-7372. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jason T. Whipkey/
Examiner, Art Unit 2622